

EB-1980WU

DATASHEET



This EB-1980WU is easy-to-set-up and features WUXGA resolution, 4,400 lumens and 3LCD technology to create colourful and precise images.

Projecting in WUXGA resolution and with a high brightness of 4,400 lumens, the EB-1980WU is a well-connected business projector. Epson's 3LCD technology provides high White and Colour Light Output for bright images and more vivid colours.

High quality

Professional environments are treated to presentations in more detail than ever before thanks to the EB-1980WU's WUXGA resolution, which fits the resolution and aspect ratio of most laptops. That detail shines through, even in daylight, thanks to 4,400 lumens brightness.

More vivid colours

Epson's own 3LCD technology ensures high-quality images with equally high White and Colour Light Output for vivid colours and bright images, even in daylight, and three times brighter colours than leading competitive projectors¹.

Easy to set up

Focus help, keystone correction and screen fit modes are included to ensure that set-up is simple, while flexible connectivity options include two HDMI ports and wired LAN.

Share content

Content, such as a multi-source video conference and presentations, can be displayed in split-screen, while Multi-PC Projection software supports up to 50 PCs for collaboration in large meetings.

Built-in speakers

Epson recognises that video is being used more often within presentations, so as well as a high-resolution image, this business projector also includes built-in 16W speakers.

KEY FEATURES

- **Ultra-bright images**
4,400 lumens White and Colour Light Output
- **Picture quality**
3LCD technology for vivid colours
- **High connectivity**
Benefit from HDMI inputs and wired LAN
- **Focus help**
Easy-to-use focus pattern
- **Split-screen**
See content, like presentations and video conferences, simultaneously



EPSON
EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System	3LCD Technology, RGB liquid crystal shutter
LCD Panel	0.76 inch

IMAGE

Colour Light Output	4,400 lumen- 3,400 lumen (economy) In accordance with IDMS15.4
White Light Output	4,400 lumen - 3,400 lumen (economy) In accordance with ISO 21118:2012
Resolution	WUXGA, 1920 x 1200, 16:10
Contrast Ratio	10,000 : 1
Lamp	280 W, 200 W (economy mode), 3,000 h durability, 4,000 h durability (economy mode)
Keystone Correction	Auto vertical: $\pm 30^\circ$, Auto horizontal $\pm 30^\circ$
Aspect Ratio	16:10

OPTICAL

Projection Ratio	1.38 - 2.28:1
Zoom	Manual, Factor: 1 - 1.6
Image Size	50 inches - 300 inches
Projection Distance Wide	1.5 m - 9 m
Projection Distance Tele	2.4 m - 14.8 m
Projection Lens F Number	1.5 - 2
Focal Distance	23 mm - 38.4 mm
Focus	Manual
Offset	10 : 1

CONNECTIVITY

Interfaces	USB 1.1 Type A, RS-232C, VGA in (2x), VGA out, HDMI in (2x), Composite in, Component in, MHL, Stereo mini jack audio out, Stereo mini jack audio in (2x), Ethernet interface (100 Base-TX / 10 Base-T)
------------	--

ADVANCED FEATURES

Security	Kensington lock, Security cable hole
Features	Automatic keystone correction, Built-in speaker, Screen Fit, PC Free, Quick Corner, Split-Screen-Function
Video Colour Modes	Blackboard, Dynamic, Photo, Presentation, sRGB, Theatre, Whiteboard, DICOM SIM

GENERAL

Energy Use	388 W, 316 W (economy), 3.5 W (standby)
Product dimensions	377 x 292 x 125 mm (Width x Depth x Height)
Product weight	4.5 kg
Noise Level	Normal: 39 dB (A) - Economy: 32 dB (A)
Included Software	Epson Projector Management Software, EasyMP Multi PC Projection, EasyMP Network Projection
Loudspeaker	16 W
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz

OTHER

Warranty	36 months On-site service or 8,000 h, Lamp: 12 months or 1,000 h Optional warranty extension available
----------	---

EB-1980WU

WHAT'S IN THE BOX

- VGA cable
- Remote control incl. batteries
- Power cable
- User manual (CD)

OPTIONAL ACCESSORIES

- Active Speakers (2 x 15W) - ELPSP02
V12H467040
- Active Speakers (2 x 15W) - ELPSP02
V12H467040DA
- Lamp - ELPLP77
V13H010L77
- Control and Connection Box - ELPCB02
V12H614040
- Control and Connection Box - ELPCB02
V12H614040DA
- Air Filter - ELPAF41
V13H134A41
- Soft Carry Case - ELPKS68
V12H001K68
- Ceiling Mount (White) - ELPMB23
V12H003B23
- Ceiling Pipe (450mm) - ELPPFP13
V12H003P13

EB-1980WU

LOGISTICS INFORMATION

SKU	V11H620040 V11H620041
EAN code	8715946541099
Multiple Order Quantity	1 Units
Country of Origin	Multiple country of origin
Pallet Size Euro	40 Units

* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. - Compared to leading 1-chip DLP business and education projectors based on NPD data, July 2011 through June 2012. Colour Brightness (Colour Light Output) measured in accordance with IDMS 15.4. Colour Brightness will vary depending on usage conditions. For more information please visit www.epson.eu/CLO

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

EPSON[®]