Epson EB-1965



DATASHEET / BROCHURE





















Affordable, compact and easily calibrated projection from a feature packed device

An ideal device for corporate or educational use, the EB-1965 is a great combination of quality output and features at an affordable price.

Convenient use

The Epson EB-1965 combines high-quality output, value-added features and affordability, into a compact and portable projector. It is perfect for corporate or educational use, as it can be easily installed in meeting rooms or used portably from a desktop.

High quality picture

Utilising Epson's 3LCD technology to ensure clearly projected images, the EB-1965 produces vivid, natural colours and an equally high White and Colour Light Output, even in daylight.

Connectivity

The EB-1965 boasts Wi-Fi connectivity and a DisplayPort connector, allowing you to show high definition audio and video content with ease.

Easy calibration

New to Epson is the convenient 'focus help' feature, which calibrates using a test pattern to allow any meeting room set up to be catered for quickly and easily. This process is made even easier with a wide controller manufacturer compatibility, so the EB-1965 can integrate into an existing system with ease. Also new to Epson is real time auto vertical and horizontal keystone correction, adjusting images in real time, with visible results in seconds. When used with the screen fit function, which corrects images to any framed screen within seconds, calibration of the EB-1965 is quick and simple.

Enhanced productivity

Productivity can be greatly increased with a range of features available with the EB-1965, with the Multi-PC feature allowing content from up to four computers to be shown.

KEY FEATURES

- Ultra bright output 5,000 lumens White/Colour Light Output
- Picture quality
 3LCD technology for vivid colours
- Clock / Schedule
 Program projector actions in advance
- Focus help
 Easy to use focus pattern
- PC free/Slide show
 Read PDFs directly from a USB stick





PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology, RGB liquid crystal shutter

LCD Panel 0.63 inch with MLA (D7)

IMAGE

Colour Light Output 5,000 lumen- 3,470 lumen (economy)
White Light Output 5,000 lumen - 3,470 lumen (economy)

Resolution XGA, 1024 x 768, 4:3

Contrast Ratio 3,000 : 1

Lamp 245 W, 2,500 h durability, 4,000 h durability (economy mode)

Keystone Correction Auto vertical: \pm 30 °, Auto horizontal \pm 20 °

OPTICAL

 Projection Ratio
 1.38 - 2.24:1

 Zoom
 Manual, Factor: 1 - 1.6

 Image Size
 30 inches - 300 inches

 Projection Distance Wide
 0.8 m - 8.4 m (60 inch screen)

 Projection Distance Tele
 1.4 m - 13.9 m (60 inch screen)

 Projection Lens F Number
 1.51 - 1.99

 Focal Distance
 18 mm - 29 mm

 Focus
 Manual

 Offset
 8.6 : 1

CONNECTIVITY

USB Display Function 3 in 1: Image / Mouse / Sound

Interfaces USB 2.0 Type B, USB 2.0 Type A, HDMI in, RGB in (2x), RGB out, Stereo mini jack audio out,

Stereo mini jack audio in (2x), RS-232C, WLAN, VGA in (2x), VGA out, Composite in, Display

Port, Ethernet interface (100 Base-TX / 10 Base-T), Gigabit ethernet interface

ADVANCED FEATURES

Security Kensington lock, Security bar, Control panel lock, Password lock

Features AV mute slide, Automatic input selection, Automatic keystone correction, Direct Power on/off,

Document Camera Compatible, Screen Fit, Instant on/off, JPEG Viewer, PC Free, Quick

Corner, Slide show, Split-Screen-Function

Video Colour Modes Blackboard, Dynamic, Photo, Presentation, sRGB, Theatre, Whiteboard, DICOM SIM

GENERAL

Energy Use 337 W, 250 W (economy), 0.44 W (standby)
Product dimensions 377 x 271 x 108 mm (Width x Depth x Height)

Product weight 3.9 kg

Noise Level Normal: 37 dB (A) - Economy: 29 dB (A)

OTHER

Warranty 36 months On-site service or 8,000 h, Lamp: 12 months or 1,000 h

Optional warranty extension available

Epson EB-1965

WHAT'S IN THE BOX

- VGA cable
- Power cable
- Remote control incl. batteries
- Software (CD)
- User manual
- User manual (CD)
- Wireless LAN unit



OPTIONAL ACCESSORIES

Air Filter - ELPAF41

V13H134A41

• Lamp - ELPLP75

V13H010L75

• Soft Carry Case - ELPKS65

V12H001K65

• Quick Wireless Connect USB key - ELPAP09

V12H005M09

• Ceiling Mount (White) - ELPMB23

V12H003B23

• Ceiling Pipe (450mm) - ELPFP13

V12H003P13

• Ceiling Pipe (700mm) - ELPFP14

V12H003P14

LOGISTICS INFORMATION

SKU	V11H470040 V11H470041
EAN code	8715946512471
Dimensions Single Carton	762 x 432 x 324 mm
Carton Weight	12.9 Kg
Multiple Order Quantity	1 Units
Country of Origin	China
Pallet Size Euro	40 Units





* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742 Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway

+47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal - 0,99 kr/min, Lokala samtal - 0,30 kr/min, Utlandssamtal - 0,89 kr/min) Switzerland 022 592 7923
Turkey (0212) 3360303 United Kingdom 0871 222 6702



Epson EB-1965